







## Appendix: Additional Ports

Whats a PCMCIA and USB3.0 doing on a bomb?



In addition to these standard ports

<p>Parallel Port</p> 	<p>Serial Port</p> 
<p>DVI-D</p> 	<p>RJ-45</p> 
<p>PS/2</p> 	<p>Stereo RCA</p> 

These ports were also found.

AC (Power)	Component Video
HDMI	Composite Video
VGA	USB
PCMCIA	

## Appendix: Additional Batteries

*Durafuser? Isn't this a rip off of a well known brand of batteries?*



### Batteries

<b>9-Volt Battery</b> 	<b>2 x AA Batteries</b> 
<b>3 x AA Batteries</b> 	<b>4 x AA Batteries</b> 

Empty Holders (It seems whoever planted these bombs forgot to include all of the batteries)

<b>9-Volt Battery Holder</b> 	<b>2 x AA Battery Holder</b> 
<b>3 x AA Battery Holder</b> 	<b>4 x AA Battery Holder</b> 

**\*\*Note:** Most of the mods that just count batteries/holders will see ALL of these. These same mods, if they are looking for AA batteries, will ONLY see the 2xAA batteries, and they will see the 9-Volt battery as a D-Cell.

## Appendix: Colored Indicators

What is up with that Blue **IAJ** indicator and Red **CAR** indicator?

This indicator works like any other, except that the label is sometimes encrypted. In the case of encryption, use the following instructions. The three letters next to the indicator light have been replaced with arcane symbols. Find the sum of the numbers gained from looking up each symbol in the left table. If the result is in the range [1,11], then use that result in the second table to find the label. Otherwise, each symbol instead represents the letters in the first table.



Symbol	in Position		
	X__	_X_	__X
?	5 / G	0 / D	4 / G
3	4 / Z	0 / D	5 / R
3	0 / C	-1 / S	4 / O
W	0 / J	2 / X	5 / Y
u	2 / V	1 / B	2 / L
p	-2 / T	5 / L	5 / J
Q	4 / L	1 / A	2 / O
IA	3 / G	5 / A	4 / S
J	4 / F	4 / S	2 / M
J	3 / P	2 / O	3 / F
Q	-1 / K	3 / Q	4 / K
Q	-1 / D	-2 / N	4 / L
X	5 / Q	0 / O	5 / Z

Result	Indicator
1	CLR
2	IND
3	TRN
4	FRK
5	CAR
6	FRQ
7	NSA
8	SIG
9	MSA
10	SND
11	BOB

Off Indicators are considered to be Black. On Indicators can be the following colors

Colors	
White	Gray
Red	Orange
Yellow	Green
Blue	Purple
Magenta	

## Appendix: Two-Factor

*Since when did bombs come equipped with Two Factor Authentication?*



Time remaining  
before Two Factor  
Code changes.

Least Significant  
Digit Indicator

The Two factor code changes every 60\* seconds real time. Least significant digit is the one closest to the dot.

\* The time can be configured from between 30-120 seconds. Additionally, Two-Factor can be disabled completely.